What is claimed is:

1. A compound represented by formula **I**,



I

or a pharmaceutically acceptable salt, hydrate, or prodrug thereof, wherein,

each W is independently N or CR^1;

each R^1 is independently selected from -H, halogen, trihaloalkyl, -CN, $-NH_2$, $-NO_2$, $-OR^6$, $-N{=}CNR^6R^7$, $-N(R^6)C(=NR^8)NR^6R^7$, $-SR^6$, $-S(O)_{1-2}R^6$, $-SO_2NR^6R^7$, $-CO_2R^6$, $-C(O)NR^6R^7$, $-C(O)N(OR^6)R^7$, $-C(=NR^8)NR^6R^7$, $-N(R^6)SO_2R^7$, $-NC(O)R^6$, $-NCO_2R^6$, $-C(O)R^7$, $-R^7$, and $-A-R^7$; provided at least one of R^1 is $-A-R^7$, wherein, only for said at least one $-A-R^7$, R^7 must be an optionally substituted heteroalicyclic ring, and any nitrogen of said optionally substituted heteroalicyclic ring cannot be directly bound to A;

A is O, $S(O)_{0-2}$, and NR^6;

L is O, $S(O)_{0-2}$, or NR^3;

Q is C or N, when Q is N, then R^4 does not exist;

R^2 and R^3 are each independently -H or $-R^7$;

R^4 and R^5 are each independently selected from -H, $-OR^6$, $-NR^6R^7$, $-S(O)_{0-2}R^6$, $-SO_2NR^6R^7$, $-CO_2R^6$, $-C(O)NR^6R^7$, $-N(R^6)SO_2R^6$, $-NC(O)R^6$, $-NCO_2R^6$, $-C(O)R^7$, -CN, $-NO_2$, $-NH_2$, halogen, trihalomethyl, and $-R^7$; or

R^4 and R^5, when taken together, form a five or six-membered aromatic ring system containing between zero and two nitrogens, said five or six-membered aromatic ring system optionally substituted with between zero and four of R^{15};

R^6 is selected from -H, optionally substituted C_{1-8}alkyl, optionally substituted arylC_{1-8}alkyl, optionally substituted heterocyclylC_{1-8}alkyl, optionally substituted aryl, and optionally substituted heterocyclyl;

R^7 is selected from -H, optionally substituted C_{1-8}alkyl, optionally substituted arylC_{1-8}alkyl, optionally substituted heterocyclylC_{1-8}alkyl, optionally substituted aryl, and optionally substituted heterocyclyl; provided that there are at least two carbons between any heteroatom of R^7 and A or either nitrogen to which R^2 or R^3 are attached; or

R^6 and R^7, when taken together with a common nitrogen to which they are attached, form an optionally substituted five- to seven-membered heterocyclic ring, said optionally substituted five- to seven-membered heterocyclic ring optionally containing at least one additional heteroatom selected from nitrogen, oxygen, sulfur, and phosphorus;

R^8 is -H, $-NO_2$, -CN, $-OR^6$, and optionally substituted C_{1-8}alkyl;

X is selected from one of the following six formulae:



wherein m is zero to five, n is zero to three, and Z is N or CR^{10};

R^{10} is selected from -H, halogen, trihalomethyl, $-NH_2$, $-NO_2$, $-OR^6$, $-N{=}CNR^6R^7$, $-NR^6R^7$, $-N(R^6)C(=NR^8)NR^6R^7$, $-SR^6$, $-S(O)_{1-2}R^6$, $-SO_2NR^6R^7$, $-CO_2R^6$, $-C(O)NR^6R^7$, $-C(O)N(OR^6)R^7$, $-C(=NR^8)NR^6R^7$, $-N(R^6)SO_2R^6$, $-NC(O)R^6$, $-NCO_2R^6$, $-C(O)R^7$, and R^7;

K is O, S, or NR^{11};

R^{11} is selected from cyano, $-NO_2$, $-OR^6$, $-S(O)_{1-2}R^6$, $-SO_2NR^6R^7$, $-CO_2R^6$, $-C(O)NR^6R^7$, $-C(O)N(OR^6)R^7$, $-C(O)R^7$, and R^6; and

each R^{15} is independently selected from -H, halogen, $-NH_2$, $-NO_2$, $-OR^6$, $-N{=}CNR^6R^7$, $-NR^6R^7$, $-N(R^6)C(=NR^8)NR^6R^7$, $-SR^6$, $-S(O)_{1-2}R^6$, $-SO_2NR^6R^7$, $-CO_2R^6$, $-C(O)NR^6R^7$, $-C(O)N(OR^6)R^7$, $-C(=NR^8)NR^6R^7$, $-N(R^6)SO_2R^6$, $-NC(O)R^6$, $-NCO_2R^6$, $-C(O)R^7$, and R^7.

2. The compound according to claim 1, wherein L is NR^3.

3. The compound according to claim 2, wherein K is either O or NR^{11}.

4. The compound according to claim 3, wherein R^2 and R^3 are each independently selected from -H and optionally substituted C_{1-8}alkyl, wherein substitution on the C_{1-8}alkyl of optionally substituted C_{1-8}alkyl is selected from $-NH_2$, $-NO_2$, $-OR^6$, $-N{=}CNR^6R^7$, $-NR^6R^7$, $-N(R^6)C(=NR^8)NR^6R^7$, $-SR^6$, $-S(O)_{1-2}R^6$, $-SO_2NR^6R^7$, $-CO_2R^6$, $-C(O)NR^6R^7$, $-C(O)N(OR^6)R^7$, $-C(=NR^8)NR^6R^7$, $-N(R^6)SO_2R^6$, $-NC(O)R^6$, $-NCO_2R^6$, $-C(O)R^7$, heterocyclic, alicyclic, and aryl.

5. The compound according to claim 4, wherein R^2 and R^3 are -H.

6. The compound according to claim 5, wherein only one of R^1 is $-A-R^7$, where A is selected from O, $S(O)_{0-1}$, and NR^6; and for $-A-R^7$, R^7 is an optionally substituted heteroalicyclic ring.

7. The compound according to claim 6, wherein R^6 is selected from -H and C_{1-8}alkyl, said C_{1-8}alkyl optionally substituted with one or more groups each independently selected from $-NH_2$, $-NO_2$, $-OR^6$, $-N{=}CNR^6R^7$, $-NR^6R^7$, $-N(R^6)C(=NR^8)NR^6R^7$, $-SR^6$, $-S(O)_{1-2}R^6$, $-SO_2NR^6R^7$, $-CO_2R^6$, $-C(O)NR^6R^7$, $-C(O)N(OR^6)R^7$, $-C(=NR^8)NR^6R^7$, $-N(R^6)SO_2R^6$, $-NC(O)R^6$, $-NCO_2R^6$, $-C(O)R^7$, heterocyclic, alicyclic, and aryl; and R^7 of $-A-R^7$ is selected from the following optionally substituted heteroalicyclics: azetidine, perhydroazepinyl, piperidinyl, piperazinyl, azabicyclo[3.2.1]octyl, octahydro-cyclopenta[c]pyrrole, 2-oxopiperidinyl, 2-oxopyrrolidinyl, pyrrolidinyl, dihydropyridinyl, tetrahydropyridinyl, quinuclidinyl, tetrahydrofuranyl, tetrahydropyranyl, thiamorpholinyl sulfone, and dioxaphospholanyl.

8. The compound according to claim 7, wherein X is



;

m is 0 to 3, and R^{10} is selected from -H, halogen, $-NH_2$, $-NO_2$, $-OR^6$, $-N{=}CNR^6R^7$, $-NR^6R^7$, $-N(R^6)C(=NR^8)NR^6R^7$, $-SR^6$, $-S(O)_{1-2}R^6$, $-SO_2NR^6R^7$, $-CO_2R^6$, $-C(O)NR^6R^7$, $-C(O)N(OR^6)R^7$, $-C(=NR^8)NR^6R^7$, $-N(R^6)SO_2R^6$, $-NC(O)R^6$, $-NCO_2R^6$, $-C(O)R^7$, and optionally substituted C_{1-8}alkyl; said C_{1-8}alkyl optionally substituted with one or more groups each independently selected from $-NH_2$, $-NO_2$, $-OR^6$, $-N{=}CNR^6R^7$, $-NR^6R^7$, $-N(R^6)C(=NR^8)NR^6R^7$, $-SR^6$, $-S(O)_{1-2}R^6$, $-SO_2NR^6R^7$, $-CO_2R^6$, $-C(O)NR^6R^7$, $-C(O)N(OR^6)R^7$, $-C(=NR^8)NR^6R^7$, $-N(R^6)SO_2R^6$, $-NC(O)R^6$, $-NCO_2R^6$, $-C(O)R^7$, heterocyclic, alicyclic, and aryl.

9. The compound according to claim 8, of formula II:



II

wherein:

A, R^4, R^5, R^{10}, and m are as defined above;

R^7 is selected from optionally substituted perhydroazepinyl, optionally substituted piperidinyl, optionally substituted pyrrolidinyl, and optionally substituted azetidine; wherein the ring nitrogen of R^7 is substituted with a group R^{12}; and

R^{12} is selected from -H, optionally substituted C_{1-8}alkyl, $-SO_2R^6$, $-SO_2NR^6R^7$, $-CO_2R^6$, $-C(O)NR^6R^7$, $-C(O)R^7$, and an optionally substituted three- or four-carbon bridge between the ring nitrogen of R^7 and a carbon vicinal to the ring nitrogen of R^7; said three- or four-atom bridge optionally containing an oxygen in substitution for a carbon of the bridge.

10. The compound according to claim 9, wherein -A-R^7 is selected from the following formulae:



wherein R^{12} is a C_{1-4}alkyl; R^{13} is selected from -H, an optionally substituted alkoxy group, an optionally substituted amino group, and an optionally substituted heteroalicyclic, with the proviso that a heteroatom of said optionally substituted alkoxy group, said optionally substituted amino group, or said optionally substituted heteroalicyclic cannot be attached to a carbon of R^{12} which is directly attached to the ring nitrogen of R^7; and R^{14} is selected

from -H, halogen, $-NH_2$, $-NO_2$, $-OR^6$, $-N{=}CNR^6R^7$, $-NR^6R^7$, $-N(R^6)C(=NR^8)NR^6R^7$, $-S(O)_{0-2}R^6$, $-SO_2NR^6R^7$, $-CO_2R^6$, $-C(O)NR^6R^7$, $-C(O)N(OR^6)R^7$, $-C(=NR^8)NR^6R^7$, $-N(R^6)SO_2R^6$, $-NC(O)R^6$, $-NCO_2R^6$, $-C(O)R^7$, and optionally substituted C_{1-6}alkyl.

11. The compound according to claim 10, wherein A is $-NR^6-$ where R^6 is selected from -H and C_{1-8}alkyl, said C_{1-8}alkyl substituted with at least one of $-CO_2H$ and $-CO_2C_{1-8}$alkyl.

12. The compound according to claim 11, of formula **III**.



III

13. The compound according to claim 12, wherein R^{12} is a C_{2-4}alkyl; R^{13} is as defined above; R^{10} is is selected from -H, halogen, perfluoroalkyl, $-NH_2$, $-NO_2$, $-OR^6$, $-N{=}CNR^6R^7$, $-NR^6R^7$, $-N(R^6)C(=NR^8)NR^6R^7$, $-SR^6$, $-S(O)_{1-2}R^6$, $-SO_2NR^6R^7$, $-CO_2R^6$, $-C(O)NR^6R^7$, $-C(O)N(OR^6)R^7$, $-C(=NR^8)NR^6R^7$, $-N(R^6)SO_2R^6$, $-NC(O)R^6$, $-NCO_2R^6$, $-C(O)R^7$; R^4 and R^5 are each independently selected from -H, halogen, and C_{1-4}alkyl; or R^4 and R^5 combined are an optionally substituted phenyl; and m is 0-3.

14. The compound according to claim 13, wherein R^{12} is an ethylene; R^{10} is halogen; R^4 and R^5 are each independently selected from -H, halogen, and C_{1-2}alkyl; and m is 1-3.

15. The compound according to claim 14, wherein each R^{10} is independently selected from fluorine and chlorine; R^4 and R^5 are each independently selected from -H and C_{1-2}alkyl; and m is 1-3.

16. The compound according to claim 15, wherein each R^{10} is independently selected from fluorine and chlorine; R^4 and R^5 are each independently selected from -H and $-CH_3$; and m is 1-2.

17. The compound according to claim 16, wherein R^{10} is fluorine; R^4 and R^5 are each independently selected from -H and $-CH_3$; and m is 1.

18. The compound according to claim 1, selected from the following:

Entry	Name	Structure
1	(3Z)-3-[[5-(methyloxy)-1H-benzimidazol-2-yl](phenyl)methylidene]-5-{[1-(phenylmethyl)pyrrolidin-3-yl]amino}-1,3-dihydro-2H-indol-2-one	
2	(3Z)-5-[(1-ethylpiperidin-3-yl)amino]-3-[[5-(methyloxy)-1H-benzimidazol-2-yl](phenyl)methylidene]-1,3-dihydro-2H-indol-2-one	
3	(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[[5-(methyloxy)-1H-benzimidazol-2-yl](phenyl)methylidene]-1,3-dihydro-2H-indol-2-one	
4	(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[1H-imidazol-2-yl(phenyl)methylidene]-1,3-dihydro-2H-indol-2-one	
5	(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-{[5-(methyloxy)-1H-benzimidazol-2-yl][4-(methyloxy)phenyl]methylidene}-1,3-dihydro-2H-indol-2-one	
6	(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[[5-(methyloxy)-1H-benzimidazol-2-yl](4-methylphenyl)methylidene]-1,3-dihydro-2H-indol-2-one	

7	(3Z)-3-[1H-benzimidazol-2-yl(4-nitrophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
8	(3Z)-3-{1H-benzimidazol-2-yl[4-(methyloxy)phenyl]methylidene}-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
9	(3Z)-3-[1H-benzimidazol-2-yl(phenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
10	(3Z)-3-[[5-(methyloxy)-1H-benzimidazol-2-yl](phenyl)methylidene]-5-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
11	(3Z)-3-[(4-aminophenyl)(1H-benzimidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
12	(3Z)-3-[1H-benzimidazol-2-yl(4-methylphenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	

13	(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[1H-imidazol-2-yl(4-methylphenyl)methylidene]-1,3-dihydro-2H-indol-2-one	
14	(3Z)-5-[(1-ethylpiperidin-4-yl)oxy]-3-[[5-(methyloxy)-1H-benzimidazol-2-yl](phenyl)methylidene]-1,3-dihydro-2H-indol-2-one	
15	(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-{1H-imidazol-2-yl[4-(methyloxy)phenyl]methylidene}-1,3-dihydro-2H-indol-2-one	
16	(3Z)-3-[1H-benzimidazol-2-yl(4-fluorophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
17	(3Z)-3-[1H-benzimidazol-2-yl(3,5-difluorophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
18	(3Z)-3-[1H-benzimidazol-2-yl(3-fluorophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	

19	(3Z)-3-[1H-benzimidazol-2-yl(3-nitrophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
20	3-((Z)-1H-benzimidazol-2-yl{5-[(1-ethylpiperidin-4-yl)amino]-2-oxo-1,2-dihydro-3H-indol-3-ylidene}methyl)benzonitrile	
21	(3Z)-3-[(3-aminophenyl)(1H-benzimidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
22	(3Z)-3-[1H-benzimidazol-2-yl(phenyl)methylidene]-5-(piperidin-4-ylamino)-1,3-dihydro-2H-indol-2-one	
23	3-((Z)-1H-benzimidazol-2-yl{5-[(1-ethylpiperidin-4-yl)amino]-2-oxo-1,2-dihydro-3H-indol-3-ylidene}methyl)benzenecarboximidamide	
24	(3Z)-3-[1H-benzimidazol-2-yl(phenyl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one	

25	(3Z)-3-[1H-benzimidazol-2-yl(phenyl)methylidene]-5-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
26	(3Z)-3-{1H-benzimidazol-2-yl[3-(methyloxy)phenyl]methylidene}-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
27	(3Z)-3-[1H-benzimidazol-2-yl(3-chlorophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
28	2-(2-{2-[(Z)-{5-[(1-ethylpiperidin-4-yl)amino]-2-oxo-1,2-dihydro-3H-indol-3-ylidene}(phenyl)methyl]-1H-imidazol-4-yl}ethyl)-1H-isoindole-1,3(2H)-dione	
29	(3Z)-3-[1H-benzimidazol-2-yl(phenyl)methylidene]-5-({1-[2-(dimethylamino)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one	
30	(3Z)-3-[1H-benzimidazol-2-yl(phenyl)methylidene]-5-{[1-(methylsulfonyl)piperidin-4-yl]amino}-1,3-dihydro-2H-indol-2-one	

31	(3Z)-5-(8-azabicyclo[3.2.1]oct-3-ylamino)-3-[1H-benzimidazol-2-yl(phenyl)methylidene]-1,3-dihydro-2H-indol-2-one	
32	(3Z)-3-{1H-benzimidazol-2-yl[3-(methyloxy)phenyl]methylidene}-5-[(1-ethylpiperidin-4-yl)oxy]-1,3-dihydro-2H-indol-2-one	
33	(3Z)-3-[1H-benzimidazol-2-yl(3,5-difluorophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)oxy]-1,3-dihydro-2H-indol-2-one	
34	(3Z)-3-[1H-benzimidazol-2-yl(phenyl)methylidene]-5-{[1-(phenylmethyl)piperidin-4-yl]oxy}-1,3-dihydro-2H-indol-2-one	
35	(3Z)-3-[1H-benzimidazol-2-yl(3-chlorophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)oxy]-1,3-dihydro-2H-indol-2-one	
36	(3Z)-3-[1H-benzimidazol-2-yl(3,5-difluorophenyl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}oxy)-1,3-dihydro-2H-indol-2-one	

37	(3Z)-3-[1H-benzimidazol-2-yl(3-chlorophenyl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}oxy)-1,3-dihydro-2H-indol-2-one	
38	(3Z)-3-[1H-benzimidazol-2-yl(3-chlorophenyl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one	
39	(3Z)-3-{1H-benzimidazol-2-yl[3-(methyloxy)phenyl]methylidene}-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one	
40	(3Z)-3-[(3-chlorophenyl)(1H-imidazol-2-yl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one	
41	(3Z)-3-[(3-fluorophenyl)(1H-imidazol-2-yl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one	
42	(3Z)-3-[1H-benzimidazol-2-yl(3,5-difluorophenyl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one	

43	(3Z)-3-[1H-benzimidazol-2-yl(3-chlorophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)(methyl)amino]-1,3-dihydro-2H-indol-2-one	
44	(3Z)-3-[(3-chlorophenyl)(1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)oxy]-1,3-dihydro-2H-indol-2-one	
45	(3Z)-3-[1H-benzimidazol-2-yl(4-chlorophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
46	(3Z)-3-[1H-benzimidazol-2-yl(3-fluorophenyl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one	
47	(3Z)-3-[1H-benzimidazol-2-yl(4-fluorophenyl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one	
48	(3Z)-3-[(3-chlorophenyl)(1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	

49	(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(3-fluorophenyl)(1H-imidazol-2-yl)methylidene]-1,3-dihydro-2H-indol-2-one	
50	(3Z)-3-[1H-benzimidazol-2-yl(3-fluoro-4-methylphenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
51	(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(3-fluorophenyl)(4-methyl-1H-imidazol-2-yl)methylidene]-1,3-dihydro-2H-indol-2-one	
52	(3Z)-3-[1H-benzimidazol-2-yl(4-fluoro-3-methylphenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
53	(3Z)-3-[(3-chloro-4-fluorophenyl)(1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
54	(3Z)-3-[(3,4-difluorophenyl)(1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	

55	(3Z)-3-[(5-chloro-1H-benzimidazol-2-yl)(phenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
56	(3Z)-3-[(5-chloro-1H-benzimidazol-2-yl)(3,5-difluorophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
57	(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(3-fluoro-4-methylphenyl)(1H-imidazol-2-yl)methylidene]-1,3-dihydro-2H-indol-2-one	
58	(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(4-fluorophenyl)(1H-imidazol-2-yl)methylidene]-1,3-dihydro-2H-indol-2-one	
59	(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[1H-imidazol-2-yl(4-propylphenyl)methylidene]-1,3-dihydro-2H-indol-2-one	
60	(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-{1H-imidazol-2-yl[4-(trifluoromethyl)phenyl]methylidene}-1,3-dihydro-2H-indol-2-one	

61	(3E)-3-[(3,5-difluorophenyl)(5-fluoro-1H-benzimidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
62	(3Z)-3-[(3,5-difluorophenyl)(5-fluoro-1H-benzimidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
63	(3Z)-3-[(3-fluoro-4-methylphenyl)(1H-imidazol-2-yl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one	
64	(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(4-methyl-1H-imidazol-2-yl)(4-methylphenyl)methylidene]-1,3-dihydro-2H-indol-2-one	
65	(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[[3-fluoro-4-(trifluoromethyl)phenyl](1H-imidazol-2-yl)methylidene]-1,3-dihydro-2H-indol-2-one	

66	(3Z)-3-[(4-chlorophenyl)(1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
67	(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(3-fluoro-4-methylphenyl)(4-methyl-1H-imidazol-2-yl)methylidene]-1,3-dihydro-2H-indol-2-one	
68	(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-{1H-imidazol-2-yl[6-(trifluoromethyl)pyridin-3-yl]methylidene}-1,3-dihydro-2H-indol-2-one	
69	(3Z)-3-[1H-imidazol-2-yl(4-methylphenyl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one	
70	(3Z)-3-[(3-fluorophenyl)(4-methyl-1H-imidazol-2-yl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one	
71	(3Z)-3-{1H-imidazol-2-yl[4-(trifluoromethyl)phenyl]methylidene}-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one	

72	(3Z)-3-[(5-chloro-1H-benzimidazol-2-yl)(phenyl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one	
73	(3Z)-3-[(3,5-difluorophenyl)(1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
74	(3Z)-3-[(3,5-difluorophenyl)(4-methyl-1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
75	(3Z)-3-[(3,5-difluorophenyl)(1H-imidazol-2-yl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one	
76	(3Z)-3-[(3,5-difluorophenyl)(4-methyl-1H-imidazol-2-yl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one	

77	(3Z)-3-[(4-methyl-1H-imidazol-2-yl)(4-methylphenyl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one	
78	(3Z)-3-[(4-fluorophenyl)(1H-imidazol-2-yl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one	
79	(3Z)-3-[(3,4-difluorophenyl)(1H-imidazol-2-yl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one	
80	(3Z)-3-[(3-chloro-4-fluorophenyl)(1H-imidazol-2-yl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one	
81	(3Z)-3-[(3-fluorophenyl)(1H-imidazol-2-yl)methylidene]-5-(piperidin-4-ylamino)-1,3-dihydro-2H-indol-2-one	
82	(3Z)-3-[(3-fluorophenyl)(1H-imidazol-2-yl)methylidene]-5-{[1-(2-piperidin-1-ylethyl)piperidin-4-yl]amino}-1,3-dihydro-2H-indol-2-one	

83	(3Z)-3-[(3-fluorophenyl)(1H-imidazol-2-yl)methylidene]-5-{[1-(2-morpholin-4-ylethyl)piperidin-4-yl]amino}-1,3-dihydro-2H-indol-2-one	
84	(3Z)-5-({1-[2-(diethylamino)ethyl]piperidin-4-yl}amino)-3-[(3-fluorophenyl)(1H-imidazol-2-yl)methylidene]-1,3-dihydro-2H-indol-2-one	
85	(3Z)-3-[(3-fluorophenyl)(1H-imidazol-2-yl)methylidene]-5-{[1-(2-pyrrolidin-1-ylethyl)piperidin-4-yl]amino}-1,3-dihydro-2H-indol-2-one	
86	(3Z)-3-[1H-imidazol-2-yl(4-methylphenyl)methylidene]-5-[(1-methylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
87	(3Z)-3-[(3-fluorophenyl)(1H-1,2,4-triazol-5-yl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one	
88	ethyl 2-{(Z)-(3-fluorophenyl)[5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-2-oxo-1,2-dihydro-3H-indol-3-ylidene]methyl}-4-methyl-1H-imidazole-5-carboxylate	

89	(3Z)-3-[1H-imidazol-2-yl(phenyl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one	
90	(3Z)-3-{1H-imidazol-2-yl[4-(methyloxy)phenyl]methylidene}-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one	
91	(3Z)-3-[(4-chlorophenyl)(1H-imidazol-2-yl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one	
92	(3Z)-3-[[3-fluoro-4-(trifluoromethyl)phenyl](1H-imidazol-2-yl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one	
93	(3Z)-3-[(3-fluorophenyl)(1H-imidazol-2-yl)methylidene]-5-{[1-(methylsulfonyl)piperidin-4-yl]amino}-1,3-dihydro-2H-indol-2-one	
94	(3Z)-3-[1H-imidazol-2-yl(4-propylphenyl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one	

95	(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(3-fluorophenyl)(4-phenyl-1H-imidazol-2-yl)methylidene]-1,3-dihydro-2H-indol-2-one	
96	(3Z)-3-[(3-fluorophenyl)(4-phenyl-1H-imidazol-2-yl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one	
97	(3Z)-3-[(3-fluoro-4-methylphenyl)(4-methyl-1H-imidazol-2-yl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one	
98	(3Z)-3-{1H-imidazol-2-yl[6-(trifluoromethyl)pyridin-3-yl]methylidene}-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one	
99	(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(3-fluorophenyl)(1H-1,2,4-triazol-5-yl)methylidene]-1,3-dihydro-2H-indol-2-one	
100	(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[[2-fluoro-4-(trifluoromethyl)phenyl](1H-imidazol-2-yl)methylidene]-1,3-dihydro-2H-indol-2-one	

101	(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-{(4-methyl-1H-imidazol-2-yl)[4-(trifluoromethyl)phenyl]methylidene}-1,3-dihydro-2H-indol-2-one	
102	(3Z)-3-[(4-chlorophenyl)(4-methyl-1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
103	(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[[3-fluoro-4-(trifluoromethyl)phenyl](4-methyl-1H-imidazol-2-yl)methylidene]-1,3-dihydro-2H-indol-2-one	
104	(3Z)-3-[(3,4-difluorophenyl)(4-methyl-1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
105	(3Z)-3-[(3-chloro-4-fluorophenyl)(4-methyl-1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
106	(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(4-fluorophenyl)(4-methyl-1H-imidazol-2-yl)methylidene]-1,3-dihydro-2H-indol-2-one	

107	(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(2-fluorophenyl)(1H-imidazol-2-yl)methylidene]-1,3-dihydro-2H-indol-2-one	
108	(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[[2-fluoro-4-(trifluoromethyl)phenyl](4-methyl-1H-imidazol-2-yl)methylidene]-1,3-dihydro-2H-indol-2-one	
109	(3Z)-3-[(2,3-difluorophenyl)(1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
110	(3Z)-3-[(2,3-difluorophenyl)(4-methyl-1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
111	(3Z)-3-[(2,4-difluorophenyl)(4-methyl-1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
112	(3Z)-3-[(2,4-difluorophenyl)(1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	

113	(3Z)-3-[(2-fluorophenyl)(4-methyl-1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
114	(3Z)-3-[(3-trifluoromethylphenyl)(1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
115	(3Z)-3-[(3-trifluoromethylphenyl)(4-methyl-1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
116	(3Z)-3-[(2,4-dichloro-5-fluorophenyl)(1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
117	(3Z)-3-[(2,4-dichloro-5-fluorophenyl)(4-methyl-1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	
118	(3Z)-3-[(4-chloro-2-fluorophenyl)(4-methyl-1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one	

19. A pharmaceutical composition comprising a compound according to any one of claims 1-18 and a pharmaceutically acceptable carrier.

20. A metabolite of the compound or the pharmaceutical composition according to any one of claims 1-19.

21. A method of modulating the *in vivo* activity of a kinase, the method comprising administering to a subject an effective amount of the compound or the pharmaceutical composition according to any of claims 1-19.

22. The method according to claim 21, wherein the kinase is at least one of VEGF receptor 2 (Flk-1/KDR), FGFR1, and PDGFR (alpha and beta).

23. The method according to claim 22, wherein modulating the *in vivo* activity of the kinase comprises inhibition of said kinase.

24. A method of treating diseases or disorders associated with uncontrolled, abnormal, and/or unwanted cellular activities, the method comprising administering, to a mammal in need thereof, a therapeutically effective amount of the compound or the pharmaceutical composition as described in any one of claims 1-19.

25. A method of screening for modulator of a kinase, the method comprising combining a compound according to any one of paragraphs 1-18, and at least one candidate agent and determining the effect of the candidate agent on the activity of said kinase.

26. A method of inhibiting proliferative activity in a cell, the method comprising administering an effective amount of a composition comprising a compound according to any one of claims 1- 18 to a cell or a plurality of cells.